Case Study

College of American Pathologists
325 Waukegan Road, Northfield, Illinois 60093-2750
800-323-4040 • www.cap.org
Advancing Excellence

CAP Number: **Kit #** **Kit ID:** 20133822
Institution: **Kit Mailed:** 08/ 28 / 20XX
Attention: **Original Evaluation:** 09 / 28 / 20XX
City / State:

E V A L U A T I O N
TEST

E-B 2006 Mycobacteriology Survey

Test / Method	Specimen	Your Result	Intended Response	Your Grade
Antimyocobact Suscept				
STREPTOMYCIN 2.0	**E-10**	SUSCEPTIBLE	SUSCEPTIBLE	Good
ISONIAZID 1.0	**E-10**	SUSCEPTIBLE	SUSCEPTIBLE	Good
RIFAMPIN 1.0	**E-10**	SUSCEPTIBLE	SUSCEPTIBLE	Good
ETHAMBUTOL 10.0	**E-10**	SUSCEPTIBLE	SUSCEPTIBLE	Good
PYRAZINAMIDE >/=30	**E-10**	SUSCEPTIBLE	SUSCEPTIBLE	Good
KANAMYCIN >/=5.0 - <10.0	**E-10**	SUSCEPTIBLE		[30]
CAPREOMYCIN >/=5.0 - <10.0	**E-10**	SUSCEPTIBLE		[30]
ETHIONAMIDE >/=5.0 - <10.0	**E-10**	SUSCEPTIBLE		[30]
CYCLOSERINE >/=30	**E-10**	SUSCEPTIBLE		[30]
PAS >/=2.0 - <5.0	**E-10**	SUSCEPTIBLE		[30]
OTHER	**E-10**	SUSCEPTIBLE		[20]

The College of American Pathologists recommends that the result of this interlaboratory comparison not be used as a sole criterion for judging the performance of any individual clinical laboratory.

© 2007 College of American Pathologists. All rights reserved.